

HEAD OFFICE JOHANNESBURG
Tel: +27 (0)11 870 5000
Fax to Mail: 086 676 6628
Cnr Hubert & Marshall Streets,
Marshalltown, Johannesburg 2001
ehd@ehd.co.za

BLOEMFONTEIN
Tel: +27 (0)51 430 5404
17 Krause Street, Oranjesig
Bloemfontein, 9301
ehdbloem@ehd.co.za

CAPE TOWN
Tel: +27 (0)21 510 0567
25 Bellray Business Park
Ampere Street, Stikland Industrial
Cape Town, 7530
ehdcapetown@ehd.co.za

DURBAN
Tel: +27 (0)31 700 1160
Unit 3,Hillmax
31 Hillclimb Rd,Westmead 3610
ehddurban@ehd.co.za

Co . Reg No. 2005/019759/07

Export Code. 20535466

Vat No. 4790223137

Y385	
Model	Y385
Type	Vertical, water-cooling, four-stroke, vortex
Number of cylinders	3
Bore (mm)	85
Stroke (mm)	90
Compression ratio	22
Total displacement	1.532
Firing order	1.-3.-2.
Rated power (kW)	19.2~24
Rated speed (r/min)	2400~3000
Max.torque (N.m)	≥84
Min.specific fuel consumption at full load (L/h)	6.1
Specific lube oil consumption (g;/kw.h)	2.72
Advance angle of supply fuel/	10±1/3000, 16±1/2600, 15±1/2400
speed (before TDC)(°)/r/min	(with Advance Device)
Injection Pressure	13.2±0.5
Direction of crankshaft rotation (facing to flywheel)	Counterclockwise
Cooling method	Forced water Cooling
Starting method	Electric
Net mass (kg)	165
Overall dimensions (LxWxH) (mm)	587x494x610

HEAD OFFICE JOHANNESBURG
 Tel: +27 (0)11 870 5000
 Fax to Mail: 086 676 6628
 Cnr Hubert & Marshall Streets,
 Marshalltown, Johannesburg 2001
 ehd@ehd.co.za

BLOEMFONTEIN
 Tel: +27 (0)51 430 5404
 17 Krause Street, Oranjesig
 Bloemfontein, 9301
 ehdbloem@ehd.co.za

CAPE TOWN
 Tel: +27 (0)21 510 0567
 25 Bellray Business Park
 Ampere Street, Stikland Industrial
 Cape Town, 7530
 ehdcapetown@ehd.co.za

DURBAN
 Tel: +27 (0)31 700 1160
 Unit 3,Hillmax
 31 Hillclimb Rd,Westmead 3610
 ehddurban@ehd.co.za

Co . Reg No. 2005/019759/07

Export Code. 20535466

Vat No. 4790223137

Designation		Y385
Fuel Injection Pump	Type	I Pump
	Governor	All-speed, Mechanical Centrifugal
	Plunger Diameter (mm)	7
	Fuel Delivery Pump	Single-Acting Piston Type
Fuel Injector	Model	P21
	Nozzle Set	Single hole, Pintle-type, ZS4SI
	Diameter of Nozzle Hole(mm)	1
	Injection Pressure(Mpa)	13.2±0.5
Lube Pump	Type	Rotor
	Speed(rpm)	1300
	Capacity(L/min)	18
	Pressure(Kpa)	0.4
Water Pump	Type	Centrifugal, Volute, Single-suction
	Speed(rpm)	3000
	Capacity(L/min)	80
	Lift(m)	5
Starting Motor	Type	Series DC Motor
	Model	QD1322C,QD1315A,D138Y
	Voltage(V)	12
	Power(kW)	1.8 or 2.5
Dynamo	Type	Silicon Rectifying Shunt Dynamo
	Model	JF11
	Power(W)	350
	Voltage(V)	14
Fuel Filter	Type	Single Stage, Paper Element
	Model	C0506A
Lube Oil Filter	Type	Single Stage, Paper Element
	Model	J0708
Air Filter	Type	Single Stage, Paper Element
	Model	K1317A
Electrothermic Plug	Type	Shrouded
	Model	10/12/1965

**COMPONENTS 2005****(PTY) LTD****t/a ENGINE & HEAVY DUTY COMPONENTS****HEAD OFFICE JOHANNESBURG**

Tel: +27 (0)11 870 5000

Fax to Mail: 086 676 6628

Cnr Hubert & Marshall Streets,
Marshalltown, Johannesburg 2001

ehd@ehd.co.za

BLOEMFONTEIN

Tel: +27 (0)51 430 5404

17 Krause Street, Oranjesig

Bloemfontein, 9301

ehdbloem@ehd.co.za

CAPE TOWN

Tel: +27 (0)21 510 0567

25 Bellray Business Park

Ampere Street, Stikland Industrial

Cape Town, 7530

ehdcape-town@ehd.co.za

DURBAN

Tel: +27 (0)31 700 1160

Unit 3, Hillmax








31 Hillclimb Rd, Westmead 3610

ehddurban@ehd.co.za

Co. Reg No. 2005/019759/07

Export Code. 20535466

Vat No. 4790223137

**View A(cylinder block)****View B(cylinder block)****Dimensions of exhaust outlet****Dimensions of water inlet and outlet****1:2****Flywheelhousing/flywheel:SAE4/7.5****Connecting dimensions of flywheel and its housing****Proud Member of:**

Accredited Member

