

HEAD OFFICE JOHANNESBURG
 Tel: +27 (0)11 870 5000
 Fax to Mail: 086 676 6628
 Cnr Hubert & Marshall Streets,
 Marshalltown, Johannesburg 2001
 ehd@ehd.co.za

BLOEMFONTEIN
 Tel: +27 (0)51 430 5404
 17 Krause Street, Oranjesig
 Bloemfontein, 9301
 ehdbloem@ehd.co.za

CAPE TOWN
 Tel: +27 (0)21 510 0567
 25 Bellray Business Park
 Ampere Street, Stikland Industrial
 Cape Town, 7530
 ehdcapetown@ehd.co.za

DURBAN
 Tel: +27 (0)31 700 1160
 Unit 3, Hillmax
 31 Hillclimb Rd, Westmead 3610
 ehddurban@ehd.co.za

Co. Reg No. 2005/019759/07

Export Code. 20535466

Vat No. 4790223137

YND485Q	
Model	YND485Q
Type	Vertical, water-cooling, four stroke, direct injection chamber
Number of cylinders	4
Bore (mm)	85
Stroke (mm)	95
Compression ratio	18
Total displacement	2.156
Firing order	1-3-4-2
Rated power (kW)	29.4~36
Rated speed (r/min)	2600-3200
Max.torque (N.m)	≥118.2
Min.specific fuel consumption at full load (L/h)	8.65
Specific lube oil consumption (g;/kw.h)	2.72
Advance angle of supply fuel/	12±1/≥2800, 18±1/2600
speed (before TDC)(°)/r/min	
Injection Pressure	19.6
Direction of crankshaft rotation (facing to flywheel)	Counterclockwise
Cooling method	Forced water cooling
Starting method	Electric
Net mass (kg)	195
Overall dimensions (LxWxH) (mm)	687x494x623

**COMPONENTS 2005****[PTY] LTD****t/a ENGINE & HEAVY DUTY COMPONENTS****HEAD OFFICE JOHANNESBURG**

Tel: +27 (0)11 870 5000

Fax to Mail: 086 676 6628

Cnr Hubert & Marshall Streets,
Marshalltown, Johannesburg 2001

ehd@ehd.co.za

BLOEMFONTEIN

Tel: +27 (0)51 430 5404

17 Krause Street, Oranjesig

Bloemfontein, 9301

ehdbloem@ehd.co.za

CAPE TOWN

Tel: +27 (0)21 510 0567

25 Bellray Business Park

Ampere Street, Stikland Industrial

Cape Town, 7530

ehdcapestown@ehd.co.za

DURBAN

Tel: +27 (0)31 700 1160

Unit 3, Hillmax

31 Hillclimb Rd, Westmead 3610

ehddurban@ehd.co.za

Co. Reg No. 2005/019759/07

Export Code. 20535466

Vat No. 4790223137

Designation		YND485Q
Fuel Injection Pump	Type	BQ Pump
	Governor	All-speed, Mechanical Centrifugal
	Plunger Diameter (mm)	7.5
	Fuel Delivery Pump	Single-Acting Piston Type
Fuel Injector	Model	PF68509
	Nozzle Set	ZCK154S425
	Diameter of Nozzle Hole(mm)	4-0.25
	Injection Pressure(Mpa)	19.6
Lube Pump	Type	Gear
	Speed(rpm)	2748
	Capacity(L/min)	22.4
	Pressure(Kpa)	0.4
Water Pump	Type	Centrifugal, Volute, Single-suction
	Speed(rpm)	4000
	Capacity(L/min)	160
	Lift(m)	8
Starting Motor	Type	Series DC Motor
	Model	QD1315A, D138Y
	Voltage(V)	12
	Power(kW)	25
Dynamo	Type	Silicon Rectifying Shunt Dynamo
	Model	JF11
	Power(W)	350
	Voltage(V)	14
Fuel Filter	Type	Single Stage, Paper Element
	Model	C0506A
Lube Oil Filter	Type	Single Stage, Paper Element
	Model	J0810H
Air Filter	Type	Single Stage, Paper Element
	Model	K1317A
Electrothermic Plug	Type	No Accessory
	Model	

Proud Member of:

TEPA Accredited Member

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers. Warranty conditions are available on our website www.ehd.co.za

**COMPONENTS 2005****(PTY) LTD****t/a ENGINE & HEAVY DUTY COMPONENTS****HEAD OFFICE JOHANNESBURG**

Tel: +27 (0)11 870 5000

Fax to Mail: 086 676 6628

Cnr Hubert & Marshall Streets,

Marshalltown, Johannesburg 2001

ehd@ehd.co.za

BLOEMFONTEIN

Tel: +27 (0)51 430 5404

17 Krause Street, Oranjesig

Bloemfontein, 9301

ehdbloem@ehd.co.za

CAPE TOWN

Tel: +27 (0)21 510 0567

25 Bellray Business Park

Ampere Street, Stikland Industrial

Cape Town, 7530

ehdcapetown@ehd.co.za

DURBAN

Tel: +27 (0)31 700 1160

Unit 3, Hillmax






31 Hillclimb Rd, Westmead 3610

ehddurban@ehd.co.za

Co. Reg No. 2005/019759/07

Export Code. 20535466



Vat No. 4790223137

**View A(cylinder block)****View B(cylinder block)****Connecting dimensions of flywheel and its housing**


Evenly distributed

Front of cylinder block

Rear of cylinder block

Dimensions of exhaust outlet centerline**Crankshaft centerline**

Flywheelhousing / Flywheel SAE4/7.5

Dimensions of water inlet and outlet**Proud Member of:**

Accredited Member

